







Connecting Threads

Out on the Town Quilt

Designed by Kristin Gassaway

Approx. finished size: 72" x 86"

1		2338 Jazz, Multi. 2-1/4 yds. A Two 5-1/2" x 76-1/2" B Two 5-1/2" x 72-1/2" C Twenty 4-1/2" squares
2		2339 Martini, Red 1-1/2 yds. D Forty-nine 2-1/2" x 12-1/2"
3		2350 Ella, Black 1 yd. E Thirty 2-1/2" squares F Eighty 2-1/2" x 4-1/2"
4		2337 Cosmopolitan, Black 1-1/2 yds. G Eighty 4-1/2" squares
5		2351 Solid, White 1-3/4 yd. H Eighty 2-1/2" x 4-1/2" I Two 2-1/2" x 62-1/2" J Four 2-1/2" x 38" sewn together and trimmed to make Two 2-1/2" x 72-1/2"
6		2352 Solid, Red 1-1/2 yds. K One Hundred Sixty 2-1/2" squares, marked once diagonally. Binding: At least 326" continuous 2-1/2" wide strips.


Backing: 5-1/2 yds. needed for a two piece backing.

DIRECTIONS:

- To make the flying geese blocks: Placing right sides together, sew two **K** squares to an **H** rectangle, sewing the **K** squares on one at a time. Sew on the marked lines, and trim to a 1/4" seam allowance, as shown in diagram. Repeat for all. Make 80.




- Sew each **K/H** unit to an **F** rectangle as shown. Make 80, each measuring 4-1/2" square.




Make 80
4-1/2" square

Need help with any of the techniques seen here? Check out our free tutorials and videos at <http://quiltwithus.connectingthreads.com/> Includes appliqué, binding tips and more.

NOTE: Please read the entire pattern carefully. Every effort has been made to ensure the accuracy of this pattern. Use a 1/4" seam allowance unless otherwise stated. Measure your quilt before cutting border strips. Make adjustments as necessary. Created by Kristin Gassaway for Connecting Threads © Copyright Connecting Threads®. All rights reserved. For private, non-commercial use only. Please see our Web site for terms of use. 991648





- Sew a **G** square to each side of a **K/H/F**. Make 40 units.



- Sew the remaining **K/H/F** units to the sides of each **C** square, making sure that the white **H** triangles are next to **C**. Make 20 units.




- Sew the rows from steps 3 and 4 together as shown to make the block. Make 20, each measuring 12-1/2" square.



12-1/2" square
Make 20


6. Sew the **D** sashing strips to the sides of the blocks as shown. Make 5 rows, each with 4 blocks and 5 **D** strips.



7. Sew four **D** strips and five **E** squares together as shown to make the sashing strips that will be sewn between each row.




8. Sew the quilt block rows and the sashing rows together as shown below to make the quilt top.



9. Sew the pieced **J** strips to the sides of the quilt, and then sew the **I** strips to the top and bottom.


10. Sew the **B** borders to the sides of the quilt, and then sew the **A** borders to the top and bottom to complete the quilt top.



11. Quilt as desired and bind using a 3/8" seam allowance.


CUTTING SUGGESTIONS:

FABRIC 1




Selvage

FABRIC 2




Selvage

FABRIC 3




Selvage

FABRIC 4




Selvage

FABRIC 5



Selvage

FABRIC 6



Selvage