

SEWING SUPPLIES

Fabric I	24" × 43"	$(60 \times 110 \text{ cm})$
Fabric 2	39" × 43"	$(100 \times 110 \text{ cm})$
Fabric 3	30" x 43"	$(80 \times 110 \text{ cm})$
Lining	59" × 55"	$(150 \times 140 \text{ cm})$
Batting	80" x 43"	$(190 \times 110 \text{ cm})$
C		


Sewing thread

CUTTING INSTRUCTIONS


Fabric I	4 blocks	6" × 43"	$(15 \times 110 \text{ cm})$
Fabric 2	3 blocks	6" × 43"	$(15 \times 110 \text{ cm})$
	6 strips	3" × 43"	$(7.5 \times 110 \text{ cm})$
Fabric 3	2 blocks	15" × 38"	$(37 \times 97 \text{ cm})$
Lining	7 blocks	6" × 43"	(15 x 110 cm)
	2 blocks	15" × 38"	$(37 \times 97 \text{ cm})$
Batting	7 blocks	6" × 43"	$(15 \times 110 \text{ cm})$
	2 blocks	15" x 38"	$(37 \times 97 \text{ cm})$


SEWING INSTRUCTIONS

- Place one piece of fabric I and one piece of lining right sides together and place one piece of batting on top.
 Sew all parts together with a 4-thread overlock stitch along the long side. (ill I)
- 2. Fold out the layers so that the right sides are facing outwards and the batting is between the two fabrics. (ill 2)
- 3. With fabric 1 facing upwards, place one piece of fabric 2 on top and another piece of lining under all the layers, right sides together. Place one piece of batting on top. Serge along the raw edge. (ill 3)
- 4. Again, fold out the layers so that the right sides are facing outwards and the batting is in between the fabric layers. (ill 4)
- 5. Continue sewing the rest of the 6" \times 43" (15 \times 110 cm) pieces using the same technique.
- 6. Cut all loose threads and press.










4

3.

7. Use the same technique as before when sewing the 15" \times 38.2" (37 \times 97 cm) pieces of fabric 3 and the lining, but now place them along each of the short sides. Sew along the edges, fold out and press.



- 8. Thread your regular sewing machine and set it for straight stitch.
- 9. Sew all the 3" \times 43" (7.5 \times 110 cm) strips together into one long strip. Fold in half lengthwise, wrong sides together, and press.
- 10. Sew the strip to the back side of the quilt. Fold it around the edge and stitch it to the front side.

